

INDEX MAPS.

T. 7 N. R. 1 E. 2nd Mer.

	187-189		187-189		187-189		187-188		187-188		187-188	
191	6	208	5	205	4	202	3	198	2	195	1	186
	209		208		205		201		198		194	
191	7	208	8	204	9	201	10	198	11	194	12	186
	209		207		204		201		197		194	
191	18	207	17	204	16	200	15	197	14	193	13	186
	209		207		203		200		197		193	
190	19	206	20	203	21	200	22	196	23	193	24	185
	210		206		203		199		196		192	
190	30	206	29	202	28	199	27	196	26	192	25	185
	210		206		202		199		195		192	
189	31	205	32	202	33	198	34	195	35	192	36	185
	184		184		184		183		183		183	

T. 8 N. R. 1 E. 2nd Mer.

	217		217		217		216		216		216	
220	6	237	5	233	4	230	3	227	2	223	1	215
	237		237		233		230		226		223	
219	7	236	8	233	9	229	10	226	11	222	12	215
	238		236		232		229		226		222	
219	18	236	17	232	16	229	15	225	14	222	13	214
	238		235		232		228		225		221	
218	19	235	20	232	21	228	22	225	23	221	24	214
	238		235		231		228		224		221	
218	30	234	29	231	28	228	27	224	26	221	25	214
	239		234		231		227		224		220	
218	31	234	32	230	33	227	34	223	35	220	36	213
	211-213		211-213		211-212		211-212		211-212		212/	

The figures on the lines refer to the page.

Township N. 7 North, Range N. 1 E. 2. Mer. Indiana

South Boundary. Mar. 6. 1811

West 1st mile between Towns 6 & 7 N. R 1 E.

27.00 a Brook 4 lks. wide C. S.

32.00 a Do 3 " " " S.

40.00 At the q. Sec. post, from which
a Beech 6 in. dia. bears N 80 E 16 lks. dist. &
a Sugar 15 " " " S 67 W 19 " "

64.25 a W. Oak 18 " "

71.00 a Brook 30 lks. wide C. S.

80.00 At a post Cor. to Sec. 35 & 36, T. 7 N. R 1 E. from which
a Beech 24 in. dia. bears S 73 W 14 lks. dist. &
a Hickory 10 " " " S 74 E 27 " "

1st 1/2 mile bottom land, timber Sugar, Beech, Elm &c.
Last 1/2 mile part bottom & part hill tim. Beech, Sugar.
Oak &c.

West 2nd mile between Towns 6 & 7 N. Range 1 E.

6.00 a Brook 8 lks. wide C. S.

35.00 a Do 3 " " " S.

40.00 At the q. Sec. post, from which
an Elm 12 in. dia. bears N 12 W 8 lks. dist. &
a Maple 14 " " " S 46 W 24 " "

67.00 a Brook 3 lks. wide C. S.

80.00 At a post Cor. to Sec. 34 & 35, T. 7 N. R 1 E. from which
a W. Oak 30 in. dia. bears N 7 E 21 lks. dist. &
a Do 16 " " " S 69 W 24 " "

West 3rd mile between Towns 6 & 7 N. R 1 E. 2nd Mer.

21.00 a Brook 10 lks. wide C. S. E.

40.00 At the q. Sec. post, from which
a Dogwood 5 in. dia. bears S 72 E 12 lks. dist. &
a W. Oak 16 " " " N 30 W 26 " "
Hilly, W. Oak land.

T^y N. R1 E. 2^d. Mer Indiana

62.00 a Brook 4 lks. wide. C.S.

80.00 Set a post Cor. to Sec. 33 & 34, T^y N. R1 E. from which
a Hickory 10 in. diam. bears N 37 W 5 lks. dist. &
a W. Oak 15 " " " S 74 E 34 " "

Next 4th Mile between Towns 6 & 7 N. R1 E. 2^d. Mer.

40.00 Set the q. Sec. post, from which

a Chestnut Oak 24 in. diam. bears N 76 E 29 lks. dist. &

a Dogwood 6 " " " S 27 W 24 " "

62.00 a Brook 3 lks. wide C.S.

80.00 Set a post Cor. to Sec. 32 & 33, T^y N. R1 E. from which

a W. Oak 12 in. diam. bears S 27 W 6 lks. dist. &

a Do 8 " " " N 86 E 20 " "

Hilly Oak land

Next 5th Mile between Towns 6 & 7 N. R1 E. 2^d. Mer.

6.00 a Brook 3 lks. wide C.S. S.W.

29.00 a Do 6 " " " N.W.

35.00 a Brook 25 " " " S.W.

40.00 Set the q. Sec. post, from which

a Hickory 10 in. diam. bears N 84 E 32 lks. dist. &

a W. Oak 24 " " " N 65 W 34 " "

Part bottom, timber Oak, Sugar Elm &c

43.00 a Brook 5 lks. wide C.S.

70.00 a Do 3 " " " S.

80.00 Set a post Cor. to Sec. 31 & 32, T^y N. R1 E. from which

a Hickory 9 in. diam. bears N 37 E 17 lks. dist. &

a W. Oak 24 " " " S 15 W 25 " "

Hilly Oak land.

Next 6th Mile between Towns 6 & 7 N. R1 E. 2^d. Mer.

40.00 Set the q. Sec. post, from which

a Chestnut 9 in. diam. bears S 71 E 19 lks. dist. &

Ty N. R. E. 2^d. Mer. Indiana

- a P. Oak 9 m. dia. bears N 23 W 9 lks. dist.
 65.00 a Brook 10 lks. wide C. P. S. W.
 79.00 a Do 10 " " " S. W.
 80.00 Set temp^y. Town Cor (from which afterwards
 the following bearing trees were taken.)
 a Sugar 10 m. dia. bears N 72 E 9 lks. dist. &
 a Do 15 " " " N 66 W 17 " "

- East Boundary. March 29th 1814
 North 1st mile between Towns 7 N. Ranges 1 & 2 E.
 40.00 Set the g. Sec. post, from which
 a Hickory 12 m. dia. bears S 4 W 20 lks. dist. &
 a Do 9 " " " N 41 E 22 " "
 62.00 a W. Oak 40 " "
 80.00 Set a post Cor. to Sec. 25 & 36, T. 7 N. R. E. from which
 a Poplar 8 m. dia. bears S 48 W 23 lks. dist. &
 a Hickory 12 " " " N 84 E 16 " "
 Over hills, timber Oak, Dogwood &c.

- North 2^d mile between Towns 7 N. Ranges 1 & 2 E.
 17.00 a Brook 3 lks. wide C. P. E.
 23.00 a P. Oak 18 m. dia.
 30.00 a Brook 4 lks. wide C. P. S. E.
 40.00 Set the g. Sec. post, from which
 a Gum 6 m. dia. bears S 22 E 8 lks. dist. &
 a P. Oak 15 " " " N 23 E 21 " "
 65.00 a W. Oak 18 " "
 80.00 Set a post Cor. to Sec. 24 & 25, T. 7 N. R. E. from which
 a Hickory 15 m. dia. bears N 80 W 22 lks. dist. &
 a Sugar 15 " " " S 48 E 45 " "
 Hilly Oak land.

- North 3^d mile between Towns 7 N. Ranges 1 & 2 E.

T^y N. R1E. 2nd Mer. Indiana

- 40.00 At the q. Sec. post, from which
 a W. Oak 15 m. diam. bears S19°W 26 lks. dist. &
 a R. Oak 30 " " " N5E 47 " "
 63.00 a Brook 6 lks. wide C. W.
 80.00 At a post Cor. to Sec. 13 & 24, T^y N. R1E, from which
 a Poplar 9 m. diam. bears N85°W 8 lks. dist. &
 a R. Oak 15 " " " N84E 29 " "
 Land timber &c. Same as on the last mile
-

North 4th Mile between Towns T^y N. R1E. 2nd Mer.

- 40.00 At the q. Sec. post, from which
 a Beech 9 m. diam. bears N47°W 18 lks. dist. &
 a Do 16 " " " N9E 33 " "
 43.00 a Brook 6 lks. wide C. W.
 72.50 a R. Oak 20 m. diam.
 80.00 At a post Cor. to Sec. 12 & 13, T^y N. R1E. 2nd Mer.
 a Beech 8 m. diam. bears S43°W 7 lks. dist. &
 a Do 6 " " " N32E 6 " "
 Land timber &c. Same as the last mile
-

North 5th Mile between Towns T^y N. R1E. 2nd Mer.

- 15.00 a Brook 5 lks. wide C. N. W.
 30.00 a Do 150 " " " N. W.
 40.00 At the q. Sec. post, from which
 a Hickory 16 m. diam. bears N61E 15 lks. dist. &
 a Maple 8 " " " N19°W 18 " "
 60.00 Gum 24 m. diam.
 80.00 At a post Cor. to Sec. 11 & 12, T^y N. R1E. from which
 a Hickory 6 m. diam. bears S34E 13 lks. dist. &
 a Do 6 " " " N33E 14 " "
 Land hilly timber Oak &c
-

North 6th Mile between Towns T^y N. Range 1 of 2 E.

T^y N. P. E. 2nd. Mer. Indiana

40.00 At the q. Sec. post, from which
a Beech 16 in. dia. bears S 61° E 23 lks. dist.
75.00 to the N.W. corner of Town 7 & 8 N. Range 2 East
fell 3 chains West of my Random post.

North Boundary. March 28th 1811

East 1st Mile on Random between Towns 7 & 8 N. Range E, from post on 2nd. Meridian
10.00 a Brook 4 lks. wide C. S. N. E.
25.00 a do 50 " " " S.
40.00 At temp^y. q. Sec. post
80.00 At temp^y. Mile post.
Low & Beech land.

East 2nd Mile on Rand^m. betwⁿ. Towns 7 & 8 N. P. E.
2.00 a Brook 10 lks. wide C. S.
40.00 At temp^y. q. Sec. post in brook 20 lks. wide S. W.
80.00 At temp^y. Mile post.
Sand timber &c. Same as on the last mile

East 3rd Mile on Rand^m. betwⁿ. Towns 7 & 8 N. P. E.
40.00 At temp^y. q. Sec. post
80.00 At temp^y. Mile post.
Sand timber &c. Same as on the last mile

East 4th Mile on Rand^m. between Towns 7 & 8 N. P. E.
33.00 a Creek 150 lks. wide C. S. E.
40.00 At temp^y. q. Sec. post
80.00 At temp^y. Mile post.
Wet & Beech land.

East 5th Mile on Rand^m. betwⁿ. Towns 7 & 8 N. P. E.
35.00 a Creek 150 lks. wide C. S. S. W.

T. N. V. C. E. 2nd. Mer. Indiana

40.00 Set temp^y. q^r. Sec. post
 50.00 a Creek — lbs. wide C. S. N. W.
 56.00 a Do — " " " S. W.
 76.00 a Do — " " " N. W.
 80.00 Set temp^y. Mile post
 Bottom land, Beech, Sugar &c.

East 6th Mile on Rand^m. between Town 7 & 8 N. R. 1 E.
 5.00 a Brook 6 lbs. wide C. S.
 40.00 Set temp^y. q^r. Sec. post
 55.00 a Brook 5 lbs. wide C. S.
 75.00 a Do 10 " " " S. W.
 80.00 Set a post temporarily for. Town Corner.
 Hill^y land, timber Oak, Beech, Hickory &c.

March 30th. 1811

West 1st Mile on true line between Town 7 & 8 N. R. 1 E.
 40.00 Set the q^r. Sec. post on true line from which
 a Sugar 12 in. dia. bear S 49 W. 30 lbs. dist^d
 a Do 12 " " " N 74 E 40 " "
 80.00 Set a post Cor. to Sec^s. 35 & 36, T 8 N. R. 1 E. from which
 a Beech 16 in. dia. bear N 56 E 23 lbs. dist^d
 a Do 15 " " " S 59 W 36 " "

West 2nd Mile on true line between Town 7 & 8 N. R. 1 E.
 40.00 Set the q^r. Sec. post on true line from which
 a Maple 16 in. dia. bear North 25 lbs. dist^d
 no other timber near.
 80.00 Set a post Cor. to Sec^s. 34 & 35, T 8 N. R. 1 E. Corner in
 the middle of a Creek (no bearings)

West 3rd Mile on true line between Town 7 & 8 N. R. 1 E.
 40.00 Set the q^r. Sec. post on true line, from which

T^y N. R. 1 E. 2^d. Mer. Indiana

a Beech 12 in. dia. bears S 17 E. 15 lks. dist. of
 an Elm 16 " " " N 20 E 24 " "
 80.00 Set a post Cor. to Sec. 33 & 34, T⁸ N. R. 1 E. from which
 a Beech 30 in. dia. bears N 58 E 8 lks. dist. of
 a W. Oak 24 " " " S 63 W 15 " "

West 4th (Mile on true line betw. Towns 7 & 8 N. R. 1 E.
 40.00 Set the q. Sec. post, from which
 a Beech 16 in. dia. bears S 28 E 20 lks. dist. of
 a L^o 6 " " " N 34 W 27 " "
 80.00 Set a post Cor. to Sec. 32 & 33, Town 7 & 8, from which
 a Beech 16 in. dia. bears S 45 E 11 lks. dist. of
 a L^o 16 " " " S 79 W 23 " "

West 5th (Mile on true line betw. Towns 7 & 8 N. R. 1 E.
 40.00 Set the q. Sec. post on true line from which
 a W. Oak 16 in. dia. bears N 24 E 19 lks. dist. of
 a Beech 10 " " " S 8 E 38 " "
 80.00 Set a post Cor. to Sec. 31 & 32, T⁸ N. R. 1 E. from which
 a Beech 24 in. dia. bears S 43 W 14 lks. dist. of
 a L^o 12 " " " N 9 W 23 " "

West 6th (Mile on true line betw. Towns 7 & 8 N. R. 1 E.
 40.00 Set the q. Sec. post on true line, from which
 a Beech 18 in. dia. bears S 35 W 12 lks. dist. of
 a L^o 18 " " " N 35 E 27 " "
 From Mr. Holmes' notes of this line, the whole
 length of the S. boundary of Sec. 31, T⁸ N. R. 1 E.
 Cannot be ascertained. S. M.

West Boundary on 2^d Principal Meridian
 Variation 6° 25' E.
 North On E. boundary of Sec. 36, T⁷ N. R. 1 W

T7 N. R1 E 2^d. Mer. Indiana

- 40.00 At the q. Sec. post, from which
 a Dogwood 5 m. dia. bears N74°W 9 lks. dist. of
 a Do 6 " " " S45°E 20 " "
 80.00 At a post Cor. to Sec. 25 & 36, T7 N. R1 W. from which
 an Ironwood 6 m. dia. bears S87°E 3 lks. dist. of
 a Sugar 9 " " " N24°W 18 " "
 Sand hilly, timber Oak.

North 2^d. Mile On the 2^d. Meridian T7 N.

- 12.00 a Brook 10 lks. wide C. S. W.
 25.00 a do 10 " " " W.
 32.50 a Beech 12 m. dia.
 40.00 At the q. Sec. post, from which
 a Sugar 24 m. dia. bears N15°W 13 lks. dist. of
 a Beech 12 " " " S15°W 23 " "
 57.00 a Brook 6 lks. wide C. S. W.
 71.50 a R. Oak 36 m. dia.
 75.00 a Brook 4 lks. wide C. S. W.
 80.00 At a post Cor. to Sec. 24 & 25, T7 N. R1 W. from which
 a W. Oak 24 m. dia. bears N25°W 9 lks. dist. of
 a Beech 10 " " " N83°E 11 " "
 1st 1/2 good bottom, timber Beech, Sugar &c.
 Last 1/2 mile timber &c. same. March 27th 1811

North 3^d. Mile On the 2^d. Meridian T7 N.

- 21.00 a R. Oak 36 m. dia.
 40.00 At the q. Sec. post, from which
 a Beech 16 m. dia. bears N4°W 20 lks. dist. of
 a Hickory 16 " " " South 21 " "
 80.00 ^{over a very high hill} At a post Cor. to Sec. 13 & 24, T7 N. R1 W. from which
 a W. Oak 15 m. dia. bears N65°E 4 lks. dist. of
 a Beech 7 " " " N55°W 5 " "
 Level land, Beech, Sugar &c.

Ty N. R1 E. 2^d. Mer. Indiana

North 4th Mile on the 2^d. Meridian Ty N.

6.00 a Brook 30 lks. wide C. S. W.

38.00 a Do 30 " " " W.

40.00 a Hickory 24 in. dia. Notched for q. Sec. Cor

45.00 Came to a Creek running S. W. kept up in it.
15 chains then left it running West.

80.00 a Beech 24 in. dia. Cor. to Sec. 12 & 13, Ty N.
R1 W. Hilly Beech land

North 5th Mile on the 2^d. Meridian Ty N.

1.00 a Creek 250 lks. wide C. W.

40.00 Set the q. Sec. post, from which

a Beech 10 in. dia. bears S 35 W. 13 lks. dist.

a W. Oak 36 " " " S 16 W 20 " "

66.50 a W. Oak 33 " "

80.00 Set a post Cor. to Sec 1 & 12, Ty N. R1 W. from which

a Sugar 16 in. dia. bears N 9 E 16 lks. dist.

a Do 15 " " " S 63 W 21 " "

Over high hills, timber Oak Beech &c.

North 6th Mile on the 2^d. Meridian Ty N.

37.75 a W. Oak 36 in. dia.

40.00 Set the q. Sec. post, from which

a W. Oak 14 in. dia. bears N 45 E 19 lks. dist.

a Hickory 6 " " " S 45 W 24 " "

75.00 a Brook 3 lks. wide C. E.

80.00 Set a post Cor. to Towns 7 & 8 N, R1 E & 1 W, from

which a W. Oak 24 in. dia. bears N 15 E. 25 lks. dist.

& a Beech 10 " " " S 39 W 3 " "

Hilly Oak land

Surveyed by Alexander Holmes, D. Sur.

Subdivision

T^y N. R¹ E. 2nd Mer. IndianaNorth Between Sec^s. 35 & 36. T^y N. R¹ E. 2nd Mer.

40.00 At the q^r. Sec. post. from which
 an Elm 4 in. dia^r. bears N 8 E 12 lbs. dist. &
 a Hackberry 10 " " " S 12 W 27 " "

44.00 a Brook 12 lbs. wide C^r. S. E.

80.00 At a post Cor. to Sec^s. 25, 26, 35 & 36, from which
 a Beech 6 in. dia^r. bears S 43 E 24 lbs. dist. &
 a Do 12 " " " N 66 W 22 " "
 Sand hills, timber Oak, Hickory &c

East On Random between Sec^s. 25 & 36. T^y N. R¹ E.40.00 At temp^y. q^r. Sec. post.

80.00 Intersected the N & S. line 20 lbs. S. of corner.
 Sand timber &c. Same as on the last mile

West On true line betwⁿ. Sec^s. 25 & 36. T^y N. R¹ E.40.00 Turn 15^{in. dist} q^r. Sec. post at an^y. dist. on true line.

80.00 to Section Cor.

North Between Sec^s. 25 & 26. T^y N. R¹ E.0.90 a Poplar 40 in. dia^r. bears15.00 a Brook 15 lbs. wide C^r. S. W.

40.00 At the q^r. Sec. post. from which
 a Maple 10 in. dia^r. bears N 89 W 13 lbs. dist. &
 a Sugar 10 " " " N 48 E 27 " "

80.00 At a post Cor. to Sec^s. 23, 24, 25 & 26, from which
 a Hickory 5 in. dia^r. bears N 66 W 15 lbs. dist. &
 a Do 15 " " " S 70 E 33 " "
 Sand timber &c. Same as on the last mile

East On Random betwⁿ. Sec^s. 24 & 25. T^y N. R¹ E.40.00 At temp^y. q^r. Sec. post.

80.38 Intersected the N & S. line 36 lbs. S. of corner.

Ty N. R1 E. 2ⁿ. Mer. Indiana

Land, timber &c. Same as on the last mile

West On true line between Sec. 24 & 25, Ty N. R1 E.
 40.19 Set the q. Sec. post at av. g. dist. from which
 an Ironwood 5 in. diam. beam S 42 W 11 lks. dist. &
 a Beech 7 " " " N 78 E 20 " "
 80.38 to Sec. Corner.

North Between Sec. 23 & 24, Ty N. R1 E. 2ⁿ. Mer.
 40.00 Set the q. Sec. post, from which
 a Maple 4 in. diam. beam South 1 link dist.
 62.50 a Brook 12 lks. wide Cr. W.
 80.00 Set a post Cor. to Sec. 13, 14, 23 & 24, from which
 a W. Oak 20 in. diam. beam S 24 W 7 lks. dist. &
 an Ironwood 6 " " " N 7 W 17 " "
 Land very hilly, thin brushy Soil, timb. Oak & hick.

East On Random between Sec. 13 & 24, Ty N. R1 E.
 40.00 Set temp. q. Sec. post
 80.00 Intersected the N & S. line 12 lks. S. of the Cor.
 Land timber &c. Same as on the last mile

West On the true line between Sec. 13 & 24, Ty N. R1 E.
 40.00 Set the q. Sec. post at av. g. dist. from which
 a Beech 10 in. diam. beam N 50 W 2 lks. dist. &
 a Do 10 " " " S 5 E 4 " "
 80.00 to Sec. Corner

North Between Sec. 13 & 14, Ty N. R1 E. 2ⁿ. Mer.
 35.00 a Brook 12 lks. wide Cr. W.
 40.00 Set the q. Sec. post, from which
 a Maple 8 in. diam. beam S 54 E 15 lks. dist. &
 a W. Oak 12 " " " N 26 E 15 " "

194

Ty N. R 1 E. 2nd Mer. Indiana

80.00 Set a post Cor. to Sec. 11, 12, 13 & 14, from which
an Ironwood 4 in. dia. bears N 61° W 12 lks. dist. &
a Beech 5 " " " N 61° E 17 " "
Sand timber &c. Same as on the last mile

East On Rand^m. between Sec. 12 & 13, Ty N. R 1 E.

40.00 Set temp^y of Sec. post

80.50 Intersected the N & S. line 46 lks. South of Cor.
Sand timber &c. Same as on the last mile

West On true line between Sec. 12 & 13, Ty N. R 1 E.

40.25 Set of Sec. post at av^g. dist. from which
a W. Oak 18 in. dia. bears N 63° W 5 lks. dist. &
a B. Oak 10 " " " S 32° E 24 " "

80.50 to Sec. Cor.

North Between Sec. 11 & 12, Ty N. R 1 E, 2nd Mer.

40.00 Set the of Sec. post, from which
a Sugar 6 in. dia. bears N 60° W 15 lks. dist. &
a Beech 6 " " " N 22° W 24 " "

41.00 a Brook 120 lks. wide Cr. West

79.50 Same 120 " " " N. E.

80.00 Set a post Cor. to Sec. 1, 2, 11, 12, in the Creek 120
lks. wide (no bearing trees taken)
Sand timber &c. Same as on the last mile

East On Rand^m between Sec. 1 & 12, Ty N. R 1 E.

40.00 Set temp^y of Sec. post

79.71 Intersected the N & S. line 100 lks. S. of the Corner.
Sand timber &c. Same as on the last mile

West On true line between Sec. 1 & 12, Ty N. R 1 E.

39.85 1/2 Set the of Sec. post at av^g. dist. from which

Ty N R1 E, 2nd Mer

a Beech 10 in. dia. bears N 4 W 15 lks. dist. &
 a Dogwood 4 " " " N 53 E 24 " "
 79.71 to Sec. Cor.

North Between Sec. 1 & 2, Ty N. R1 E, 2nd Mer.

1.00 N.W. side of a Creek Course N E
 40.00 a Beech 12 in. dia. Marked for q. Sec. Cor.
 65.00 a Brook 120 lks. wide C.P. N.W.
 70.00 Same 120 " " " N.E.
 76.90 Intersected the N. boundary 63 lks. N. of the Cor.
 At a post Cor. to Sec. 1 & 2, from which
 a Beech 18 in. dia. bears N 33 E 20 lks. dist. &
 a Do 10 " " " S 33 W 25 " "
 Sand rolling, timber Beech, Sugar Oak & Hickory

North Between Sec. 34 & 35, Ty N. R1 E, 2nd Mer.

40.00 At the q. Sec. post. from which
 a Hickory 6 in. dia. bears N 54 E 22 lks. dist. &
 a W. Oak 12 " " " N 6 W 27 " "
 80.00 At a post Cor. to Sec. 26, 27, 34 & 35, from which
 a W. Walnut 8 in. dia. bears S 5 E 11 lks. dist. &
 a Sassafras 6 " " " S 52 W 21 " "
 Sand rolling, timber Oak & Hickory

East On Random betw. Sec. 26 & 35, Ty N. R1 E.

33.00 a Brook 12 lks. wide C.P. S.
 40.00 At temp. q. Sec. post
 73.00 a Brook 12 lks. wide C.P. S.W.
 80.00 Intersected the N & S. line 18 lks. S. of the Cor.
 Sand timber &c. Same as on the last mile

West On true line, betw. Sec. 26 & 35, Ty N. R1 E.

40.00 At the q. Sec. post. from which

T7 N. R1 E. 2^d. Mer. Indiana

a Beech 18 in. diam. brany N54W9 lks. dist. &
 a Poplar 6 " " " S26W19 " "
 80.00 to Sec. Cor.

North Between Sec. 26 & 27, T7 N. R1 E. 2^d. Mer.

2.50 a Brook 12 lks. wide at S.E.

40.00 Let the q. Sec. post, from which

a W. Oak 18 in. diam. brany N54W5 lks. dist. &

a Beech 8 " " " S55E24 " "

80.00 Let a post Cor. to Sec. 22, 23, 26 & 27, from which

a Hickory 4 in. diam. brany N63E5 lks. dist. &

a Do 8 " " " S29E11 " "

Sand timber &c. same as on the last mile

East On Random between 23 & 26, T7 N. R1 E.

40.00 Let temp. q. Sec. post

80.00 Intersected the N & S. line 18 lks. S. of the corner.

Sand timber &c. same as on the last mile

West on true line between Sec. 23 & 26, T7 N. R1 E.

40.00 Let q. Sec. post at a q. dist. on true line from which

a Beech 10 in. diam. brany S44W21 lks. dist. &

a Do 8 " " " N15W21 " "

80.00 to Sec. Corner.

North Between Sec. 22 & 23, T7 N. R1 E. 2^d. Mer.

40.00 Let the q. Sec. post, from which

a Sugar 8 in. diam. brany S52E7 lks. dist. &

a Poplar 10 " " " N85W18 " "

80.00 Let a post Cor. to Sec. 14, 15, 22 & 23, from which

a Blue Ash 10 in. diam. brany N48E13 lks. dist. &

a W. Oak 20 " " " S34E28 " "

Sand, timber &c. same as on the last mile

T7 N. R1 E. 2^d. Mer. Indiana

East On Random betwⁿ. Sec^s. 14 & 23, T7 N. R1 E.
 20.00 a Brook 10 lks. wide Q. & N.
 40.00 Set temp^y. of Sec. post.
 80.00 Intersected the N & S. at the Corner.
 Sand timber &c. Same as on the last mile

West On true line betwⁿ. Sec^s. 14 & 23, T7 N. R1 E.
 40.00 Set of Sec. post at av^y. dist. from which
 a Beech 10 mi. dist. bear N 87 E 40 lks. dist. &
 a Maple 10 " " " S 2 W 16 " "
 80.00 to Sec. Cor.

North Between Sec^s. 14 & 15, T7 N. R1 E. 2^d. Mer.
 20.50 a Brook 15 lks. wide ex. S. & N.
 40.00 Set the of Sec. post, from which
 an Elm 5 mi. dist. bear S 82 W 46 lks. dist. &
 a Sycamore 40 " " " S 61 W 66 " "
 80.00 Set a post Cor. to Sec^s. 10, 11, 14 & 15, from which
 a Hackberry 15 mi. dist. bear S 40 W 26 lks. dist. &
 a Walnut 4 " " " S 47 E 11 " "
 Sand timber &c. Same as on the last mile

East On Random between Sec^s. 11 & 14, T7 N. R1 E
 40.00 Set temp^y. of Sec. post
 79.33 Intersected the N. & S. line at the Corner
 (Description Omitted)

West On true line betwⁿ. Sec^s. 11 & 14, T7 N. R1 E.
 39.66 1/2 Set of Sec. post at av^y. dist. from which
 an Elm 15 mi. dist. bear S 77 E 21 lks. dist. &
 a Beech 10 " " " S 15 E 22 " "
 79.33 to Sec. Corner.

T7 N. R1 E. 2^d Mer. IndianaNorth Between Sec. 10 & 11, T7 N. R1 E. 2^d Mer.

30.50 a Brook 15 lbs. wide Cr. St. E.

40.00 At the q. Sec. post, from which
an Elm 24 in. dia. bears S 81° W 21 lbs. dist. &
a Do 20 " " " N 24° W 40 " "80.00 At a post Cor. to Sec. 2, 3, 10 & 11, from which
a Hickory 7 in. dia. bears S 70° W 20 lbs. dist. &
an Elm 14 " " " S 51° E 22 " "
Sand timber &c. Same as on the last mile

East On Random between Sec. 2 & 11, T7 N. R1 E.

40.00 At temp. q. Sec. post

79.56 Intersected the N & S. line at the Cor.

Sand timber &c. Same as on the last mile

West On true line between Sec. 2 & 11, T7 N. R1 E.

39.78 At q. Sec. post at av. dist. from which
a W. Oak 15 in. dia. bears S 74° E 13 lbs. dist. &
a Beech 10 " " " S 32° W 14 " "

79.56 to Sec. Cor.

North Between Sec. 2 & 3, T7 N. R1 E. 2^d Mer.

10.00 a Brook 150 lbs. wide Cr. W.

40.00 At the q. Sec. post, from which
a Beech 22 in. dia. bears S 11° E 2 lbs. dist. &
a Do 3 " " " S 72° W 20 " "82.50 Intersected the N. boundary at the corner.
Sand rolling, timber Beech, Oak & Hickory

North Between Sec. 33 & 34, T7 N. R1 E.

40.00 At the q. Sec. post, from which

a B. Oak 12 in. dia. bears N 69° E 11 lbs. dist. &
a W. Oak 8 " " " N 54° W 8 " "

T^yN. R1E. 2^d. Mer. Indiana

65.00 a Brook 8 lks. wide C^t. W.

80.00 At a post Cor. to Sec^s. 27, 28, 33 & 34 from which
a B. Oak 20 in. diam. bears N 36 E 27 lks. dist. &
a W. Oak 10 " " " N 75 E 21 " "
Land timber &c. Same as on the last mile

East On Random between Sec^s. 27 & 34, T^yN. R1E.

40.00 At temp^y. of Sec. post

80.00 Intersected the N & S. line 18 lks. N. of the cor.
Land timber &c. Same as on the last mile

West on true line betwⁿ. Sec^s. 27 & 34, T^yN. R1E.

40.00 At the of. Sec. post, at av^y. dist. from which
a Dogwood 5 in. diam. bears S 39 W 8 lks. dist. &
a Do 6 " " " N 72 E 10 " "

80.00 to Sec. Corner.

North Between Sec^s. 27 & 28, T^yN. R1E. 2^d. Mer.

40.00 a W. Oak 15 in. diam. (Marked for of. Sec. Cor)

80.00 At a post Cor. to Sec^s. 21, 22, 27 & 28, from which
a Chestnut 20 in. diam. bears S 18 E 4 lks. dist. &
a Poplar 6 " " " S 7 W 27 " "
Land Shilly, timber Chestnut, Oak & Hickory

East On Rand^m. betwⁿ. Sec^s. 22 & 27, T^yN. R1E.

40.00 At temp^y. of Sec. post

80.00 Intersected the N & S. line 42 lks. N. of the Cor.
Land timber &c. Same as on the last mile

West on true line between Sec^s. 22 & 27, T^yN. R1E.

40.00 At the of. Sec. post, at av^y. dist. from which
a W. Oak 8 in. diam. bears S 33 E 22 lks. dist. &
a Do 8 " " " N 4 W 22 " "

T7 N. R1 E. 2^d. Mer Indiana

80.00 to the Section Corner.

North Between Sec^s 21 & 22, T7 N. R1 E. 2^d. Mer.

40.00 Set the q. Sec. post from which

a Dogwood 3 m. dist. bray N57 E 8 lks. dist. &

a Chestnut Oak 9 " " " S27 W17 " "

80.00 Set a post Cor. to Sec^s 15, 16, 21 & 22, T7 N. R1 E

a Chestnut 15 m. dist. bray N28 W10 lks. dist. &

a Hickory 12 " " " S22 W12 " "

Land timber &c. Same as on the last mile

East On Rand^m. between Sec^s 15 & 22, T7 N. R1 E.

40.00 Set temp. q. Sec. post

74.50 a Brook 10 lks. wide Cr. St.

80.00 Intersected the N & S. line. 6 lks. S. of the Cor.

Land timber &c. Same as on the last mile

West On true line between Sec^s 15 & 22, T7 N. R1 E.

40.00 Set q. Sec. post at av. dist. from which

an Ironw^d. 4 m. dist. bray N75 E 29 lks. dist. &

a Maple 8 " " " S3 E 38 " "

80.00 to Sec. Cor.

North Between Sec^s 15 & 16, T7 N. R1 E. 2^d. Mer.

40.00 Set q. Sec. post, from which

a P. Oak 12 m. dist. bray N66 E 12 lks. dist. &

a Do 12 " " " S66 W21 " "

80.00 Set a post Cor. to Sec^s 9, 10, 15 & 16, from which

a Gum 8 m. dist. bray S63 W10 lks. dist. &

a P. Oak 12 " " " N19 E14 " "

Land very hilly, with high hills covered with green briars, timber Oak, Hickory Chestnut &c.

Ty N. R. 1 E. 2^d. Mer. Indiana

East On Random between Sec. 10 & 15, Ty N. R. 1 E.

40.00 Let temp. of. Sec. post

77.00 a Brook 30 lks. wide C. S.

80.00 Intersected the N. & S. line 84 lks. South of the Cor.

Sand timber &c. Same as on the last mile

West On true line between Sec. 10 & 15, Ty N. R. 1 E.

40.00 Let of. Sec. post at ar. dist. from which
a Dogwood 6 mi. dist. bears N 2 W 20 lks. dist. &
a B. Oak 24 " " " N 29 W 20 " "

80.00 to Sec. Corner

North Between Sec. 9 & 10, Ty N. R. 1 E. 2^d. Mer.

40.00 Let the of. Sec. post, from which

a W. Oak 20 in. dist. bears N 4 E 17 lks. dist. &

" " " " S 82 W 47 " "

80.00 Let a post Cor. to Sec. 3, 4, 9, 10, from which

a Poplar 20 in. dist. bears N 30 E 15 lks. dist. &

a Beech 6 " " " N 45 W 16 " "

Sand timber &c. Same as on the last mile

East On Random between Sec. 3 & 10, Ty N. R. 1 E.

40.00 Let temp. of. Sec. post

80.00 Intersected the N. & S. line 12 lks. S. of the Corner.

Sand timber &c. Same as on the last mile.

West On true line between Sec. 3 & 10, Ty N. R. 1 E.

40.00 Let the of. Sec. post at ar. dist. from which

a Beech 15 in. dist. bears N 40 E 18 lks. dist. &

a Sugar 8 " " " S 34 W 19 " "

80.00 Section Corner.

North Between Sec. 3 & 4, Ty N. R. 1 E. 2^d. Mer.

T^y N. R1 E. 2nd Mer. Indiana

- 40.00 Let the q. Sec. post. from which
 a Buck 12 mi. dist. bear N 88 E 16 lks. dist. &
 a Do 8 " " " N 18 W 18 " "
- 62.00 a Brook 150 lks. wide C. P. W.
- 86.44 Intersected the N. boundary 153 lks. E. of Corner.
 Let a post Cor. to Sec. 3 & 4, from which
 an Elm 10 mi. dist. bear N 88 W 6 lks. dist. &
 a Buck 20 " " " N 70 E 18 " "
 Sand, timber &c. Same as on the last mile
-

North Between Sec. 32 & 33, T^y N. R1 E. 2nd Mer.

- 40.00 Let the q. Sec. post. from which
 a W. Oak 20 mi. dist. bear South 21 lks. dist. &
 a Elm 20 " " " N 3 W 15 " "
- 63.00 a Water Course 21 lks. wide C. P. S. W.
- 80.00 Let a post Cor. to Sec. 28, 29, 32 & 33, from which
 a Maple 10 mi. dist. bear N 48 E 5 lks. dist. &
 a W. Oak 12 " " " N 7 W 29 " "
 Sand & hilly, timber Oak & Hickory.
-

East On Random between Sec. 28 & 33, T^y N. R1 E.

- 40.00 Let temp. q. Sec. post
- 80.00 Intersected the N & S. line 12 lks. N. of the Cor.
 Sand timber &c. Same as on the last mile
-

West On true line between Sec. 28 & 33, T^y N. R1 E.

- 40.00 Let the q. Sec. post. from which
 a Buck 20 mi. dist. bear N 40 E 8 lks. dist. &
 a W. Oak 12 " " " N 60 W 3 " "
- 80.00 to Sec. Corner
-

North Between Sec. 28 & 29, T^y N. R1 E. 2nd Mer

- 40.00 Let the q. Sec. post. from which

Ty N. R 1 E. 2nd. Mer. Indiana

a W. Oak 30 m. diam. bray S 87 E 5 lks. dist. &
 a Beech 4 " " " S 87 W 13 " "
 80.00 At a post Cor. to Sec. 20, 21, 28 & 29, from which
 a W. Oak 30 m. diam. bray S 81 E 9 lks. dist. &
 a B. Oak 18 " " " N 61 W 9 " "
 Land, timber &c. the same as on the last m.

East On Random betw. Sec. 21 & 28, Ty N. R 1 E.
 40.00 At temp. q. Sec. post
 80.00 Intersected the N & S. line, 28 lks. N. of Corner
 Land, timber &c. same as on the last mile

West On true line between Sec. 21 & 28, Ty N. R 1 E.
 40.00 At q. Sec. post at a q. dist. on true line, from which
 a B. Oak 15 m. diam. bray S 53 W 11 lks. dist. &
 a Do 18 " " " N 74 E 4 " "
 80.00 to Sec. Corner.

North Between Sec. 20 & 21, Ty N. R 1 E. 2nd. Mer.
 40.00 At the q. Sec. post, from which
 a W. Oak 10 m. diam. bray S 72 E 14 lks. dist. &
 a B. Oak 10 " " " S 63 W 18 " "
 61.00 a Brook 10 lks. wide Cr. W.
 80.00 At a post Cor. to Sec. 16, 17, 20 & 21, from which
 a W. Oak 15 m. diam. bray N 52 E 22 lks. dist. &
 a Do 15 " " " N 10 W 25 " "
 Land, timber &c. same as on the last mile

East On Random between Sec. 16 & 21, Ty N. R 1 E.
 40.00 At temp. q. Sec. post
 80.00 Intersected the N & S. line 7 lks. N. of the Cor.
 Land timber &c. same as on the last mile

T^yN. R1E, 2^d. Mer. Indiana

West On true line between Sec^s. 16 & 21, T^yN. R1E.
 40.00 Let the q. Sec. post, at av^g. dist. from which
 a Beech 6 in. dia. bran N4⁹W4¹ hrs. dist. &
 a Do 10 " " " S35⁴W8 " "
 80.00 to Sec. Cor.

North Between Sec^s. 16 & 17, T^yN. R1E, 2^d. Mer.
 40.00 Let the q. Sec. post, from which
 a Hognut 4 in. dia. bran N7⁷W3⁴ hrs. dist. &
 a Elm 20 " " " S31¹E10 " "
 70.40 a W. Oak 30 " "
 80.00 a W. Walnut 6 in. dia. Cor. of Sec^s. 16, 17, 8 & 9
 Land timber &c. Same as on the last mile

East On Random between Sec^s. 9 & 16, T^yN. R1E.
 15.00 a Brook 10 hrs. wide Cr. N.W.
 40.00 Let temp^l. q. Sec. post
 79.50 Intersected the N & S. line at the Corner.
 Land timber &c. Same as on the last mile

West On true line between Sec^s. 9 & 16, T^yN. R1E.
 39.75 Let q. Sec. post at av^g. dist. from which
 a W. Oak 8 in. dia. bran S31⁹W1⁹ hrs. dist. &
 a Beech 8 " " " N4⁹W3 " "
 79.50 to Sec. Cor.

North Between Sec^s. 8 & 9, T^yN. R1E, 2^d. Mer.
 40.00 Let the q. Sec. post, from which
 a W. Oak 15 in. dia. bran S8⁴W2⁰ hrs. dist. &
 a Maple 8 " " " N6²E2² " "
 80.00 Let a post Cor. to Sec^s. 4, 5, 8 & 9, from which
 a Beech 8 in. dia. bran N8²W8¹ hrs. dist. &
 a Do 6 " " " N3⁹E1¹ " "

T7N. R1E. 2nd Mer. Indiana

Land, timber &c. Same as on the last mile

East on Random between Sec. 4 & 9, T7N. R1E.

40.00 Set temp. g. Sec. post

79.50 Intersected the N & S. line 50 lbs. N. of the cor.

Land timber &c. Same as on the last mile

West on true line between Sec. 4 & 9, T7N. R1E.

39.75 Set g. Sec. post at av. dist. from which

a W. Oak 15 in. diam. bears N 54 W 17 lbs. dist. of

a B. Oak 4 " " " S 79 E 11 " "

79.50 to Sec. Corner.

North Between Sec. 4 & 5, T7N. R1E. 2nd Mer.

40.00 Set the g. Sec. post from which

a Beech 10 in. diam. bears N 30 W 6 lbs. dist. of

a Llo 10 " " " S 15 E 25 " "

54.00 a Brook 130 lbs. wide C.P. S. N.

86.00 Intersected the N. Boundary 345 lbs. E. of Corner.

Set up post Cor. to Sec. 4 & 5, from which

a W. Oak 40 in. diam. bears S 50 W 20 lbs. dist. of

an Elm 15 " " " N 89 E 18 " "

Land, timber &c. Same as on the last mile

North Between Sec. 31 & 32, T7N. R1E. 2nd Mer.

40.00 Set the g. Sec. post, from which

a B. Oak 10 in. diam. bears N 48 E 8 lbs. dist. of

a Llo 10 " " " S 27 W 17 " "

80.00 Set up post Cor. to Sec. 29, 30, 31 & 32, from which

a W. Oak 10 in. diam. bears S 44 E 20 lbs. dist. of

a B. Oak 10 " " " N 36 W 30 " "

Land, timber &c. Same as on the last mile

T^yN. R1E. 2nd Mer. Indiana

East On Random between Sec. 29 & 32

40.00 Set temp^y. of Sec. post

80.00 Intersected the N & S. line 12 hrs. N. of the Cor.

Land timber &c. Same as on the last mile

West On true line between Sec. 29 & 32, T^yN. R1E.40.00 Set of Sec. post at av^y. dist. from which

a Gum 12 in. diam. bears N 81 E 29 hrs. dist. of

a Maple 10 " " " N 34 W 18 " "

80.00 to Sec. Corner.

North Between Sec. 29 & 30, T^yN. R1E.

40.00 Set the of Sec. post from which

a Hickory 10 in. diam. bears N 71 E 27 hrs. dist. of

a B. Oak 18 " " " S 20 W 12 " "

80.00 Set a post Cor. to Sec. 19, 20, 29 & 30, from which

a Poplar 25 in. diam. bears N 10 E 24 hrs. dist. of

a Gum 6 " " " N 30 E 14 " "

Land timber &c. Same as on the last mile

East On Random between Sec. 20 & 29, T^yN. R1E40.00 Set temp^y. of Sec. post

80.00 Intersected the N & S. line 18 hrs. S. of the Cor.

Land timber &c. Same as on the last mile

West Between Sec. 20 & 29 on true line

40.00 Set of Sec. post at av^y. dist. from whichan Ironw^d? 4 in. diam. bears N 15 E 7 hrs. dist. of

a Dogwood 4 " " " S 18 W 16 " "

80.00 to Sec. Corner.

North Between Sec. 19 & 20, T^yN. R1E. 2nd Mer.

40.00 Set the of Sec. post, from which

T^y N. R 1 E. 2^d. Mer. Indiana

a Logwood 3 in. dia. bear S 41 W 12 lks. dist. &
 a Hickory 5 " " " S 60 E 18 " "
 80.00 Set a post Cor. to Sec. 17, 18, 19 & 20, from which
 a Beech 5 in. dia. bear S 49 E 12 lks. dist. &
 a White Oak 8 " " " N 7 W 13 " "
 Land rolling & thin soil timber the same

East Out Random between Sec. 17 & 20, T^y N. R 1 E.
 40.00 Set temp^y. of Sec. post
 80.00 Intersected the N & S line, 4 lks. N. of the Corner.
 Land timber &c. same as on the last mile

West on true line between Sec. 17 & 20, T^y N. R 1 E.
 40.00 Set of Sec. post at up^r. dist. from which
 a Hickory 4 in. dia. bear N 17 W 3 lks. dist. &
 an Ash 10 " " " S 61 E 13 " "
 80.00 to Sec. Cor.

North Between Sec. 17 & 18, T^y N. R 1 E. 2^d. Mer.
 40.00 Set the of Sec. post, from which
 a Beech 8 in. dia. bear S 60 E 10 lks. dist. &
 a Do 20 " " " S 14 W 21 " "
 50.00 a Brook 12 lks. wide Cr. S. W.
 80.00 Set a post Cor. to Sec. 17, 18, 19 & 18, from which
 a B. Oak 14 in. dia. bear N 43 W 10 lks. dist. &
 Land timber &c. same as on the last mile

East Out Random between Sec. 18 & 17, T^y N. R 1 E.
 40.00 Set temp^y. of Sec. post
 73.00 a Brook 15 lks. wide Cr. S. E.
 80.00 Intersected the N & S line 19 lks. N. of Corner.
 Land timber &c. same as on the last mile

T^yN. R1E, 2^d. Mer. Indiana

West On true line between Sec. 8 & 17, T^yN. R1E.
 40.00 Set of Sec. post at av. dist. from which
 an Ironwood 5 mi. dist. bears S 3 E 11 lks. dist. of
 a Hickory — " " " N 37 E 40 " "
 81.00 to Sec. Corner.

North Between Sec. 7 & 8, T^yN. R1E, 2^d. Mer.
 40.00 Set of Sec. post from which
 a Beech 12 mi. dist. bears S 88 E 22 lks. dist. of
 a Llo — " " " N 86 E 9 " "
 80.00 Set a post Cor. to Sec. 5, 6, 7 & 8, from which
 a Beech 20 mi. dist. bears N 80 E 34 lks. dist. of
 a Llo 8 " " " N 26 W 18 " "
 Land level & wet, timber Elm, Beech, Oak, Hickory &c.

East On Random between Sec. 5 & 8, T^yN. R1E.
 40.00 Set temp. of Sec. post
 80.00 Intersected the N. & S. line 18 lks. N. of Corner.
 Land timber &c. Same as on the last mile

West on true line betw. Sec. 5 & 8, T^yN. R1E.
 40.00 Set of Sec. post at av. dist. from which
 a Beech 6 mi. dist. bears N 60 E 20 lks. dist. of
 a Llo 12 " " " N 88 W 30 " "
 80.00 to Sec. Corner.

North Between Sec. 5 & 6, T^yN. R1E, 2^d. Mer.
 17.50 a Brook 200 lks. wide Cr. S. W.
 40.00 Set the of Sec. post, from which
 a Beech 18 mi. dist. bears N 40 W 10 lks. dist. of
 a Llo 12 " " " N 40 E 20 " "
 80.00 a Brook 10 lks. wide Cr. S. W.
 86.72 Intersected the N. Boundary 350 lks. E. of post

T7 N. R1 E 2^d. Mer. Indiana

At a post Cor. to Sec. 5 & 6, from which
 an Elm 12 mi. dist. bears N 26 W 8 lbs. dist. &
 a Beech 10 " " " N 1 W 21 " "
 Sand, timber &c. Same as on the last mile

West Between Sec. 6 & 7, T7 N. R1 E. 2^d. Mer.
 20.00 a Brook 200 lbs. wide ex. S. W.
 27.00 Same 200 " " " S. W.
 35.00 Same 200 " " " S. W.
 40.00 At the q. Sec. post, from which
 a Beech 12 mi. dist. bears N 47 W. 16 lbs. dist. &
 a Do 10 " " " S 43 E 8 " "
 81.30 Intersected the 2^d. Mer. 250 lbs. S. of the Corner.
 At a post Cor. to Sec. 6 & 7, from which
 a Hickory 6 mi. dist. bears N 60 W 13 lbs. dist. &
 a Beech 10 " " " S 40 W 32 " "
 Sand timber &c. Same as on the last mile

West Between Sec. 7 & 18, T7 N. R1 E. 2^d. Mer.
 40.00 At the q. Sec. post, from which
 a Elm 10 mi. dist. bears N 18 W 11 lbs. dist. &
 a Beech 8 " " " S 26 W 32 " "
 82.30 Intersected the 2^d. Mer. 200 lbs. S. of the Cor.
 At a post Cor. to Sec. 7 & 18, from which
 a Beech 20 mi. dist. bears N 23 W 29 lbs. dist. &
 an Elm 4 " " " S 51 W 5 " "
 Sand Timber &c. Same as on the last mile

West Between Sec. 18 & 19, T7 N. R1 E. 2^d. Mer.
 40.00 At the q. Sec. post, from which
 a W. Oak 20 mi. dist. bears N 65 E 20 lbs. dist. &
 a Do 10 " " " S 52 E 8 " "
 60.50 a Brook 15 lbs. wide ex. S. W.

T^y N. R 1 E. 2^d. Mer. Indiana

83.95 Intersected the 2^d. Mer. 648 lks. S. of the Cor.
 Set a post Cor. to Sec. 18 & 19, from which
 a Hickory 6 m. diam. bears S 10 E 2 lks. dist. &
 a do 8 " " " S 85 E 13 " "
 Land very hilly,

West Between Sec. 19 & 30, T^y N. R 1 E. 2^d. Mer.
 40.00 Set the q. Sec. post, from which
 a W. Oak 12 m. diam. bears N 73 E 11 lks. dist. &
 a Hickory 8 " " " N 60 W 18 " "
 83.00 Intersected the 2^d. Meridian 100 lks. S. of post.
 Set a post Cor. to Sec. 19 & 30, from which
 a Maple 8 m. diam. bears N 37 E 30 lks. dist. &
 a Beech 9 " " " S 11 W 8 " "
 Land timber &c. Same as on the last mile

West Between Sec. 30 & 31, T^y N. R 1 E. 2^d. Mer.
 40.00 Set the q. Sec. post, from which
 a W. Oak 10 m. diam. bears East 5 lks. dist. &
 a do 12 " " " S 73 W 22 " "
 82.35 Intersected the 2^d. Mer. 37 lks. S. of the corner.
 Set a post Cor. to Sec. 30 & 31, from which
 a Beech 6 m. diam. bears N 46 E 5 lks. dist. &
 a do 6 " " " N 61 W 14 " "
 Land timber &c. Same as on the last mile
 Surveyed by (in 1814) Arthur Annis, L. S.

I certify that the foregoing transcript of field notes
 of Township N. 7 N. Range N. 1 E. 2^d. Mer. Indiana
 has been Comp.^d with the original notes in this office
 and found to be correct.
 Surveyor General's Office } E. S. Seaine
 Cincinnati, Dec. 17. 1840 } Sur. Genl.